

UNITED STATES DEPARTMENT OF COMMERCE **United States Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR			ATTORNEY DOCKET NO.
09/506,78	02/18/	00 EADES		. А	1473-991365
TIIONANO.		IM52/0724	コ	EXAMINER	
THOMAS J CLINTON 700 KOPPERS BUILDING				HRUSKOCI,P	
436 SEVEN	TH AVENUE	G		ART UNIT	PAPER NUMBER
PITTSBURG	H PA 15219	-1818		1724	7
				DATE MAILED:	
					07/24/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

	·						
Office Action Summary		Application No.	Applicant(s)				
		09/506,781	EADES ET AL.				
		Examiner	Art Unit				
		Peter A. Hruskoci	1724				
Period fo	- The MAILING DATE of this communication app r Reply	pears on the cover sheet with the c	correspondence address				
THE N - Exten after: - If the - If NO - Failui - Any re	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. sions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period ve to reply within the set or extended period for reply will, by statute exply received by the Office later than three months after the mailing of patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tir y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
1)🖂	Responsive to communication(s) filed on 16 F	<u> February 2001 and 21 June 2001</u>	•				
2a)⊠	This action is FINAL . 2b) Th	is action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
4) 🖾	4)⊠ Claim(s) <u>1-21</u> is/are pending in the application.						
4a) Of the above claim(s) 1-11 is/are withdrawn from consideration.							
5)	5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>12-21</u> is/are rejected.							
7)	7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.							
Applicati	on Papers						
9)☐ The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>16 February 2001</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)[☐ All b)☐ Some * c)☐ None of:						
1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
 a) The translation of the foreign language provisional application has been received. 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. 							
Attachment(s)							
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s) <u>6</u>	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152)				
	1.05						

Page 2

Application/Control Number: 09/506,781

Art Unit: 1724

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 12, 13, and 18-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gardner et al. in view of lannicelli. Gardner et al. disclose (see col. 1 line 55 through col. 3 line 34) a system for fluid clarification substantially as claimed. The claims differ from Gardner et al. by reciting that the system includes a buoyant media recovery unit in fluid communication with the flotation chamber and the flocculation chamber. Iannicelli disclose (see col. 2 line 28-55 and col. 7 line 38 through col. 8 line 6) that it is known in the art of liquid purification to utilize an accessory particle or buoyant media recovery unit to aid in reusing the accessory particles. It would have been obvious to one skilled in the art to modify the system of Gardner et al. by including the recited buoyant media recovery unit in view of the teachings of lannicelli, to aid in reusing the solid buoyant media.
- 3. Claims 14-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gardner et al. in view of lannicelli as above, and further in view of Kuepper. The claims

Application/Control Number: 09/506,781

Art Unit: 1724

differ from the references as applied above by reciting that the flotation chamber contains lamella plates, tubes, or a specific baffle. Kuepper disclose (see col. 2 line 44 through col. 4 line 55, Fig. 1, and Fig. 3) that it is known in the art to utilize a flotation chamber including lamella plates and baffles. It is submitted that the vertical plates 75 in Fig. 3 of Kuepper appear to form tubes in the flotation chamber. It would have been obvious to one skilled in the art to modify the references as applied above by including the recited lamella plates, tubes, and baffle in view of the teachings of Kuepper, to aid in clarifying the fluid.

- 4. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gardner et al. in view of lannicelli as above, and further in view of Yeh. The claim differs from the references as applied above by reciting that the flotation chamber contains immersed membranes. Yeh disclose (see col. 3 line 56 through col. 4 line 64) that it is known in the art of water treatment to include immersed screens or membranes in a flotation chamber to minimize turbulence. It would have been obvious to one skilled in the art to modify the references as applied above by including the recited immersed membranes in the flotation chamber in view of the teachings of Yeh, to minimize turbulence in the chamber.
- 5. Applicants arguments have been carefully considered but are not deemed pertinent to the above rejections.
- 6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 09/506,781

Art Unit: 1724

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter A. Hruskoci whose telephone number is (703) 308-3839. The examiner can normally be reached on Monday through Friday from 6:30 AM to 4:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. David Simmons, can be reached on (703) 308-1972. The fax phone number for this Group is (703) 305-7718.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0651.

Peter A. Hruskoci Primary Examiner Art Unit 1724

P. Hruskoci 07/21/01